# Safety Data Sheet

Argon/Carbon Dioxide, Oxygen, mixture
US Cylinder Gas



#### **Section 1: Product and Company Identification**

**US Cylinder Gas** 

Alsip, IL

Product Code: Argon, Carbon Dioxide, Oxygen

Part Number: Argon/CO2/O2 Mix

Synonyms: US Gas Mix 24

Recommended Use: Industrial use. Use as directed.

**Usage Restrictions:** 

### Section 2: Hazards Identification



Alsip, IL

Hazard Classification: Gases Under Pressure, H280

Simple Asphyxiant, OSHA-H01

Hazard Statements: H280: Contains gas under pressure; may explode if heated

CGA-HG03: MAY INCREASE RESPIRATION AND HEARTRATE.

OSHA-H01: MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Precautionary Statements

P202: Do not handle until all safety precautions have been read and understood.

P261: Avoid breathing.

P271+P403: Use and store only outdoors or in a well-ventilated place.

CGA-PG02: Protect from sunlight when ambient temperature exceeds 52C (125F).

CGA-PG05: Use a back flow preventive device in the piping. CGA-PG06: Close valve after each use and when empty.

CGA-PG10+CGA-PG20: Use only with equipment of compatible materials of

construction and rated for cylinder pressure.

CGA-PG11: Never put cylinders into unventilated areas of passenger vehicles. CGA-PG12: Do not open valve until connected to equipment prepared for use.

CGA-PG27: Read and follow the Safety Data Sheet (SDS) before use.

US Cylinder Gas page 1 of 7
Part Number: Argon/CO2/O2 Mix

Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

### **Section 3: Composition/Information on Ingredients**

	CAS#	Concentration
Oxygen	7782-44-7	0 - 5.5%
Carbon Dioxide	124-38-9	0 - 12%
Argon	7440-37-1	Balance

	Chemical Substance	Chemical Family	Trade Names
Oxygen	OXYGEN, COMPRESSED GAS	Inorganic gases	OXYGEN; DIOXYGEN; MOLECULAR OXYGEN; OXYGEN MOLECULE; PURE OXYGEN; UN 1072; O2
Carbon Dioxide	CARBON DIOXIDE, GAS	Inorganic gases	CARBONIC ACID GAS; CARBONIC ANHYDRIDE; CARBON DIOXIDE; CARBON OXIDE; UN 1013; CO2
Argon	ARGON, COMPRESSED	Inorganic gases	ARGON; UN 1006; AR

### **Section 4: First Aid Measures**

	Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
Oxygen	None expected	None expected	Not likely route of exposure	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.	None
Carbon Dioxide	If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.	Contact with liquid: Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.	Do not induce vomiting.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.
Argon	Not applicable route of exposure	Flush eyes with plenty of water.	Not applicable route of exposure	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.

# **Section 5: Fire Fighting Measures**

	Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Oxygen	Non-flammable. Use extinguishing agent appropriate for the material which is burning. Use water in large quantities for fires involving oxygen.	Oxides of burning material	<ul> <li>Respiratory protection may be needed for frequent or heavy exposure.</li> <li>None</li> </ul>
Carbon Dioxide	Non-flammable	Non-flammable	<ul> <li>Any appropriate escape-type, self- contained breathing apparatus.</li> <li>non-flammable</li> </ul>
Argon	Non-flammable gas	Not applicable	■ N/a ■ N/A

Date of Preparation: 2/20/2024 1:26:27 PM

### **Section 6: Accidental Release Measures**

	Personal Precautions	Environmental Precautions	Methods for Containment
Oxygen	Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering.	Avoid contact with combustible materials.	Stop leak if possible without personal risk.
Carbon Dioxide	Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering. Do not touch spilled material.	Subject to California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). Keep out of water supplies and sewers.	Stop leak if possible without personal risk.
Argon	Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.	None known.	Stop leak if possible without personal risk.

	Methods for Cleanup	Other Information
Oxygen	Stop leak and ventilate	None
Carbon Dioxide	Stop leak, evacuate, remove source of ignition.	None
Argon	Leaks may be detected by a soapy-water solution.	

### **Section 7: Handling and Storage**

	Handling	Storage
Oxygen	Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.	Keep separated from incompatible substances.
Carbon Dioxide	Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.	Store and handle in accordance with all current regulations and standards
Argon	Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.	Avoid using in confined spaces.

### **Section 8: Exposure Controls/Personal Protection**

	Exposure Guidelines
Oxygen	OXYGEN, COMPRESSED GAS: No occupational exposure limits established.
Carbon Dioxide	CARBON DIOXIDE, GAS: CARBON DIOXIDE: 5000 ppm (9000 mg/m3) OSHA TWA 10000 ppm (18000 mg/m3) OSHA TWA (vacated by 58 FR 35338, June 30, 1993) 30000 ppm (54000 mg/m3) OSHA STEL (vacated by 58 FR 35338, June 30, 1993) 5000 ppm ACGIH TWA 30000 ppm ACGIH STEL 5000 ppm (9000 mg/m3) NIOSH recommended TWA 10 hour(s) 30000 ppm (54000 mg/m3) NIOSH recommended STEL
Argon	ARGON, COMPRESSED: ARGON: ACGIH (simple asphyxiant)

#### **Engineering Controls**

Handle only in fully enclosed systems.

	Eye Protection	Skin Protection	Respiratory Protection
Oxygen	Eye protection not required, but recommended.	Protective clothing is not required. Protective gloves are not required.	Respiratory protection may be needed for frequent or heavy exposure.
Carbon Dioxide	For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.	For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing. Wear insulated gloves.	Any appropriate escape- type, self-contained breathing apparatus.
Argon	Eye protection not required, but recommended.	Protective clothing is not required. Wear appropriate chemical resistant gloves.	N/a

### **General Hygiene considerations**

Avoid breathing vapor or mist

US Cylinder Gas page 3 of 7

Date of Preparation: 2/20/2024 1:26:27 PM

Part Number: Argon/CO2/O2 Mix Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

# **Section 9: Physical and Chemical Properties**

	Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor
Oxygen	Gas	Clear	Colorless	N/A	Gas	Odorless
Carbon Dioxide	Gas	Colorless	Colorless	N/A	Gas	Odorless
Argon	Gas	Colorless	Colorless	N/A	Gas	Odorless

	Taste	Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits
Oxygen	Tasteless	Not flammable	Not available	Not available	Nonflammable	Nonflammable
Carbon Dioxide	Acid taste	Not flammable	Not available	N/A	Nonflammable	Nonflammable
Argon	Tasteless	Not flammable			Nonflammable	Nonflammable

	Lower Explosive Limits	Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity
Oxygen	Nonflammable	-297 F (-183 C)	-360 F (-218 C)	760 mmHg @ -183 C	1.1 (Air=1)	Not applicable
Carbon Dioxide	Nonflammable	Not available	-71 F (-57 C) @ 4000 mmHg	43700 mmHg @ 21 C	1.5 (Air=1)	1.522 @ 21 C
Argon	Nonflammable	-303 F (-186 C)	-308 F (-189 C)	500 mmHg @ -190 C	1.38 (Air=1)	Not applicable

	Water Solubility	рН	Odor Threshold	Evaporation Rate	Viscosity	Molecular Weight
Oxygen	3.2% @ 25 C	Not applicable	Not available	Not applicable	0.02075 cP @ 25 C	31.9988
Carbon Dioxide	Soluble	3.7 (saturated aqueous solution) @ 101.3 kPa (carbonic acid)	Not available	Not applicable	0.01657 cP @ 0 C	44.01
Argon	3.36% @ 20 C	Not applicable	Not available	Not applicable	0.0225 cP @ 25 C	39.948

	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
Oxygen	02	1.309 g/L @ 25 C	Not available	Not applicable	Not applicable	Soluble : Alcohol
Carbon Dioxide	C-O2	0.114	Not available	Not applicable	Not applicable	Soluble : Alcohol, acetone, hydrocarbons, organic solvents
Argon	AR	1.784 g/L @ 0 C	Not available	100%	Not applicable	Soluble : Organic solvents

# **Section 10: Stability and Reactivity**

	Stability	Conditions to Avoid	Incompatible Materials
Oxygen	Stable at normal temperatures and pressure.	Avoid contact with combustible materials. Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.	Combustible materials, halo carbons, metals, bases, reducing agents, amines, metal salts, oxidizing materials, alkaline earth and alkali metals
Carbon Dioxide	Stable at normal temperatures and pressure.	Protect from physical damage and heat. Containers may rupture or explode if exposed to heat. Avoid contact with water or moisture.	Combustible materials, oxidizing materials, metal salts, reducing agents, metal carbide, metals, bases

US Cylinder Gas page 4 of 7

Date of Preparation: 2/20/2024 1:26:27 PM

Part Number: Argon/CO2/O2 Mix Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

	Stability	Conditions to Avoid	Incompatible Materials
Argon	Stable at normal temperatures and	Protect from physical damage and	No data available.
	pressure.	heat. Containers may rupture or	
		explode if exposed to heat.	

	Hazardous Decomposition Products	Possibility of Hazardous Reactions
Oxygen	Miscellaneous decomposition products	Will not polymerize.
Carbon Dioxide	Carbon monoxide	Will not polymerize.
Argon	No data available.	Will not polymerize.

# **Section 11: Toxicology Information**

#### **Acute Effects**

	Oral LD50	Dermal LD50	Inhalation
Oxygen	Not established	Not established	Irritation, changes in body temperature, nausea, difficulty breathing, irregular heartbeat, dizziness, disorientation, hallucinations, mood swings, pain in extremities, tremors, lung congestion, convulsions
Carbon Dioxide	Not established	Not established	Ringing in the ears, nausea, irregular heartbeat, headache, drowsiness, dizziness, tingling sensation, visual disturbances, suffocation, convulsions, coma
Argon	Not established	Not established	Nausea, vomiting, difficulty breathing, irregular heartbeat, headache, dizziness, disorientation, mood swings, tingling sensation, loss of coordination, suffocation, convulsions, unconsciousness, coma

	Eye Irritation	Skin Irritation	Sensitization
Oxygen	No information on significant adverse effects	No information on significant adverse effects	No significant target effects reported.
Carbon Dioxide	Irritation, frostbite, blurred vision	Liquid: blisters, frostbite	Difficulty breathing
Argon	No information on significant adverse	No information on significant adverse	
Argon	effects	effects	

#### **Chronic Effects**

	Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects
Oxygen	Not known.	Available.	Available.	No data
Carbon Dioxide	Not available	Not established	Available.	No data
Argon	Not established	Not established	Not established	No data

# **Section 12: Ecological Information**

**Fate and Transport** 

	Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Oxygen	Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Not available	Low bioaccumulation	Not available
Carbon Dioxide	Fish toxicity: 150000 ug/L 48 day(s) (Mortality) Brown trout (Salmo trutta) Invertibrate toxicity: Not available Algal toxicity: Not available	Relatively non-persistent in the environment. Moderately volatile from water.	Accumulates very little in the bodies of living organisms.	Leaches through the soil

US Cylinder Gas

Part Number: Argon/CO2/O2 Mix Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

page 5 of 7

Date of Preparation: 2/20/2024 1:26:27 PM

	Phyto toxicity: Not available Other toxicity: Not available			
Argon	Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Not available	Not available	Not available

# **Section 13: Disposal Considerations**

Oxygen	Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001.
Carbon	Dispose in accordance with all applicable regulations.
Dioxide	
Argon	Dispose in accordance with all applicable regulations.

### **Section 14: Transportation Information**

#### U.S. DOT 49 CFR 172.101

#### **DOT Information For This Mixture**

Shipping Name	Compressed gas, n.o.s. (Oxygen, Carbon Dioxide, Argon)
UN Number	UN1956
Hazard Class	2.2
Hazard Information	NonFlammable Gas

#### **Individual Component Information**

	Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Oxygen	Oxygen, compressed	UN1072	2.2	Not available	2.2; 5.1	75 kg or L	150 kg	N/A
Carbon Dioxide	Carbon dioxide	UN1013	2.2	Not applicable	2.2	75 kg or L	150kg	None
Argon	Argon, compressed	UN1006	2.2	Not applicable	2.2	75 kg or L	150 kg	N/A

# **Canadian Transportation of Dangerous Goods**

	Shipping Name	UN Number	Class	Packing Group / Risk Group
Oxygen	Oxygen, compressed	UN1072	2.2; 5.1	Not applicable
Carbon Dioxide	Carbon dioxide	UN1013	2.2	Not applicable
Argon	Argon, compressed	UN1006	2.2	Not applicable

### **Section 15: Regulatory Information**

### **U.S. Regulations**

0.01.109				
	CERCLA Sections	SARA 355.30	SARA 355.40	
Oxygen	Not regulated.	Not regulated.	Not regulated.	
Carbon Dioxide	Not regulated.	Not regulated.	Not regulated.	
Argon	Not regulated.	Not regulated.	Not regulated.	

#### **SARA 370.21**

	Acute	Chronic	Fire	Reactive	Sudden Release
Oxygen	No	No	Yes	No	Yes
Carbon Dioxide	Yes	No	No	No	Yes

US Cylinder Gas page 6 of 7

Part Number: Argon/CO2/O2 Mix

Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved Date of Preparation: 2/20/2024 1:26:27 PM

Argon	Yes	No	No	No	Yes
•					

#### **SARA 372.65**

Oxygen	Not regulated.
Carbon Dioxide	Not regulated.
Argon	Not regulated.

#### **OSHA Process Safety**

Oxygen	Not regulated.
Carbon Dioxide	Not regulated.
Argon	Not regulated.

#### **State Regulations**

	CA Proposition 65
Oxygen	Not regulated.
Carbon Dioxide	Not regulated.
Argon	Not regulated.

#### **Canadian Regulations**

	WHMIS Classification
Oxygen	A,C
Carbon Dioxide	A
Argon	A

#### **National Inventory Status**

	US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)
Oxygen	Listed on inventory.	Not listed.	Not determined.
Carbon Dioxide	Listed on inventory.	Not listed.	Listed on inventory.
Argon	Listed on inventory.	Not listed.	Listed on inventory.

# **Section 16: Other Information**

	NFPA Rating
Oxygen	HEALTH=0 FIRE=0 REACTIVITY=0 SPECIAL=OX
Carbon Dioxide	HEALTH=3 FIRE=0 REACTIVITY=0 SPECIAL=SA
Argon	HEALTH=0 FIRE=0 REACTIVITY=0 SPECIAL=SA

<sup>0 =</sup> minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

US Cylinder Gas page 7 of 7
Part Number: Argon/CO2/O2 Mix