

Safety Data Sheet

Propane

United States Cylinder Gas

11618 S Mayfield Ave, Alsip, Illinois, 60803

Emergency Phone: CHEMTREC 1-800-424-9300

www.uscylgas.com

Section 1: Product and Company Identification

United States Cylinder Gas

11618 S Mayfield Ave, Alsip, Illinois, 60803

(708) 389-1402

Emergency Phone: CHEMTREC 1-800-424-9300

www.uscylgas.com

Product Code: **Propane**

Part Number: PROPANE BULK FILL, PRO33, PRO100, PRO20

Synonyms: C₃H₈

Recommended Use: Industrial use. Agriculture use. Residential Use. Use as directed.

Usage Restrictions:

Section 2: Hazards Identification



Hazard Classification:

Flammable (Category 1), H220

Gases Under Pressure, H280

Simple Asphyxiant, OSHA-H01

Hazard Statements:

H220: Extremely flammable gas

H280: Contains gas under pressure; may explode if heated

CGA-HG04: MAY FORM EXPLOSIVE MIXTURES WITH AIR.

OSHA-H01: MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Precautionary Statements

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P271+P403: Use and store only outdoors or in a well-ventilated place.

P377: Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381: In case of leakage, eliminate all ignition sources.

CGA-PG02: Protect from sunlight when ambient temperature exceeds 52C (125F).

CGA-PG05: Use a back flow preventive device in the piping.

CGA-PG06: Close valve after each use and when empty.

CGA-PG10+CGA-PG20: Use only with equipment of compatible materials of construction and rated for cylinder pressure.

CGA-PG11: Never put cylinders into unventilated areas of passenger vehicles.

CGA-PG12: Do not open valve until connected to equipment prepared for use.

CGA-PG27: Read and follow the Safety Data Sheet (SDS) before use.

Section 3: Composition/Information on Ingredients

| | CAS # | Concentration |
|---------|---------|---------------|
| Propane | 74-98-6 | 100% |

| | Trade Names |
|---------|--------------------------------------------------------------------------------|
| Propane | PROPANE n-Propane Dimethylmethane 74-98-6 Propyl hydride propan |

Section 4: First Aid Measures

IF ON SKIN: wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

Section 5: Fire Fighting Measures

Suitable Extinguishing Media:

Dry powder, carbon dioxide, cool surrounding area with fine water mist.

Protection of Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

| | Products of Combustion |
|---------|------------------------|
| Propane | Oxides of carbon |

Section 6: Accidental Release Measures

Personal Precautions:

Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering.

Environmental Precautions:

Keep away from drains, surface and ground water. Avoid heat, flames, sparks and other sources of ignition.

Methods for Containment and Cleanup:

Stop leak if possible without personal risk. Reduce vapors with water spray. Remove sources of ignition. If necessary, cover drains.
Absorb large spills, dispose in appropriate containers.

Section 7: Handling and Storage

Handling:

See precautions in Section 2. Only trained personnel should handle this product. Always use approved personal protective equipment.

Storage:

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store and handle in accordance with all current regulations and standards. Store in a well-ventilated area. Keep separated from incompatible substances.

| | Incompatibilities | Conditions to avoid |
|---------|----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Propane | Oxidizing materials, combustible materials, halogen compounds, | Avoid heat, flames, sparks and other sources of ignition. Minimize contact with material. Containers may rupture or explode if exposed to heat. |

Section 8: Exposure Controls/Personal Protection

| Exposure Guidelines | Threshold Limit Value -TLV (ppm) |
|---------------------|----------------------------------|
| Propane | 1000 |

Engineering Controls

No specific controls are needed.

| | |
|-------------------------------|------------------------------------------------------|
| Eye Protection | Wear splash resistant safety goggles. |
| Skin Protection | Wear chemical protective clothing, including gloves. |
| Respiratory Protection | Use self-contained breathing apparatus. |

General Hygiene considerations

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

Section 9: Physical and Chemical Properties

| | Physical State / Physical Form | Appearance / Color | Odor | Flash Point | Flammability | Partition Coefficient |
|---------|--------------------------------|--------------------|---------------|-----------------|--------------|-----------------------|
| Propane | Gas | Colorless | Gasoline odor | -157 F (-105 C) | True | 2 |

| | Autoignition Temperature | Upper Explosive Limits | Lower Explosive Limits | Boiling Point | Freezing Point | Vapor Pressure |
|---------|--------------------------|------------------------|------------------------|---------------|-----------------|----------------|
| Propane | 842 F (450 C) | 9.5 | 1.7 | -40 F (-40 C) | -310 F (-190 C) | 124.91 |

| | Vapor Density | Specific Gravity | Water Solubility | pH | Evaporation Rate | Viscosity |
|---------|---------------|------------------|-----------------------|----|------------------|---------------|
| Propane | 1.55 | 0.5853 @ -45 C | Very slightly soluble | 0 | Not applicable | Not available |

| | Molecular Weight | Molecular Formula | Density | Volatility | Solvent Solubility |
|---------|------------------|-------------------|-----------|----------------|--------------------------------------------------------------------|
| Propane | 44.097 | C-H3-C-H2-C-H3 | 0.4985358 | Not applicable | Soluble : Absolute alcohol, ether, chloroform, benzene, turpentine |

Section 10: Stability and Reactivity

| | Stability | Conditions to Avoid | Incompatible Materials |
|---------|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| Propane | Stable at normal temperatures and pressure. | Avoid heat, flames, sparks and other sources of ignition. Minimize contact with material. Containers may rupture or explode if exposed to heat. | Oxidizing materials, combustible materials, halogen compounds, |

| | Hazardous Decomposition Products | Possibility of Hazardous Reactions |
|--|----------------------------------|------------------------------------|
|--|----------------------------------|------------------------------------|

| | Hazardous Decomposition Products | Possibility of Hazardous Reactions |
|---------|----------------------------------|------------------------------------|
| Propane | Oxides of carbon | Will not polymerize. |

Section 11: Toxicology Information

The toxicology information is calculated for the mixture.

Acute Toxicity Estimates (ATE) of the mixture.

| | |
|----------------------|---------------|
| Oral ATE (mg/kg) | Not Available |
| Inhalation ATE (ppm) | Not Available |
| Dermal ATE (mg/kg) | Not Available |

Additional health hazards:

OSHA-H01: MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

| | |
|-----------------------------------|---------------|
| Skin Corrosion/Irritation | Not Available |
| Eye Damage/Irritation | Not Available |
| Respiratory or Skin Sensitization | Not Available |
| Germ Cell Mutagenicity | Not Available |
| Carcinogenicity | Not Available |
| Reproductive Toxicity | Not Available |
| STOT – single exposure | Not Available |
| STOT – repeated exposure | Not Available |
| Aspiration Hazard | Not Available |

Section 12: Ecological Information

Fate and Transport

| | Eco toxicity | Persistence / Degradability | Bioaccumulation / Accumulation | Mobility in Environment |
|---------|-----------------------------------------------------------------------------------------------|-----------------------------|--------------------------------|-------------------------|
| Propane | Fish toxicity: 0 Invertebrate toxicity: Algal toxicity: Phyto toxicity: Other toxicity: | Not available | Not available | Not available |

Section 13: Disposal Considerations

Dispose in accordance with all applicable regulations. Do not dispose in sewers or waterways. Recycle if possible to do so. Return to manufacturer for disposal if needed.

Section 14: Transportation Information

U.S. DOT 49 CFR 172.101

| | Proper Shipping Name | ID Number | Hazard Class or Division | Packing Group | Passenger Aircraft or Railcar Quantity Limitations | Cargo Aircraft Only Quantity Limitations | Additional Shipping Description |
|---------|----------------------|-----------|--------------------------|---------------|----------------------------------------------------|------------------------------------------|---------------------------------|
| Propane | Propane | UN1978 | 2.1 | Not available | Not available | Not available | Not available |

Canadian Transportation of Dangerous Goods

| | Shipping Name | UN Number | Class | Packing Group / Risk Group |
|---------|---------------|-----------|-------|----------------------------|
| Propane | Propane | UN1978 | 2.1 | Not Available |

Section 15: Regulatory Information

U.S. Regulations

| | CERCLA Sections | SARA 355.30 | SARA 355.40 |
|---------|-----------------|----------------|----------------|
| Propane | Not Regulated. | Not Regulated. | Not Regulated. |

SARA 370.21

| | Acute | Chronic | Fire | Reactive | Sudden Release |
|---------|-------|---------|------|----------|----------------|
| Propane | Yes | No | Yes | No | Yes |

SARA 372.65

| | |
|---------|----------------|
| Propane | Not Regulated. |
|---------|----------------|

OSHA Process Safety

| | |
|---------|----------------|
| Propane | Not regulated. |
|---------|----------------|

State Regulations

| | CA Proposition 65 |
|---------|-------------------|
| Propane | Not regulated. |

Canadian Regulations

| | WHMIS Classification |
|---------|----------------------|
| Propane | A, B1. |

National Inventory Status

| | US Inventory (TSCA) | TSCA 12b Export Notification | Canada Inventory (DSL/NDL) |
|---------|---------------------|------------------------------|----------------------------|
| Propane | Propane | Not listed. | Listed on DSL. |

Section 16: Other Information

| | NFPA Rating |
|---------|-----------------------------------------------|
| Propane | Health = 2, Flammability = 4, Instability = 0 |

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard